ELSEVIER

Journal of Organometallic Chemistry 563 (1998) 255

Journal of Organometallic Chemistry

Author index of Volume 563

Albano, V.G., 153
Atwood, D.A., 87

Back, S., 73
Barrow, M., 201
Bauer, K., 227
Beauchamp, A.L., 53
Behrens, U., 235
Besenyei, G., 81
Bildstein, B., 219
Brunner, H., 173
Busetto, L., 153

Cai, R.-F., 101
Camiletti, C., 153
Carro, C., 31
Che, C.-M., 191
Cheung, K.-K., 191
Chiu, C.-F., 95
Chi-Wang Chan, M., 191
Chun, S.-H., 23
Cifuentes, M.P., 137
Crespo, M., 179
Cromhout, N.L., 201
Cunningham, D., 201

Dartiguenave, M., 53
Dartiguenave, Y., 53
Dorado, I., 7
Dufour, P., 53

Ernst, R.D., 209

Feng, X.-J., 101
Flores, J.C., 7
Font-Bardia, M., 179
Frigyes, D., 147

Galakhov, M., 7
Gehrig, A., 61
Gladfelter, W.L., 1
Gómez Sal, P., 7
Grande, C., 179

Harrison, A., 113
Heath, G.A., 137
Herberhold, M., 227
Hockless, D.C., 137
Horacek, M., 251
Houbrechts, S., 137
Hou, X.-F., 101
Hradsky, A., 219
Huang, X.-Y., 101
Huang, Z.-E., 101
Humphrey, M.G., 137
Huttner, G., 61, 73
Hwang, C.-L., 95

Jang Chen, Y., 95
Jedlicka, B., 37
Johnson, B.F., 113
Jorgenson, A.L., 1

Kajitani, M., 161
Kégl, T., 37
Ketkov, S.Y., 209
Kim, C., 43
Kim, M., 43
Klein, A., 179
Kollár, L., 37
Kupfer, V., 251

Lang, H., 61, 73
Lee, F.-W., 191
Lim, S., 23
Liu, F.-C., 23

Mach, K., 251
Maes, J., 137
Manning, A.R., 201
Martín, A., 7
McArdle, P., 201
McDonagh, A.M., 137
Meyers, E.A., 23
Milius, W., 227
Monari, M., 153
Muller, B., 251

Nadeau, R.A., 1
Naulty, R.H., 137
Németh, S., 81
Neuhierl, T., 173
Nuber, B., 61, 173

Ongania, K.-H., 219

Pan, D.-S., 95
Párkányi, L., 81
Parsons, S., 113
Pellinghelli, M.A., 15
Persoons, A., 137

Reed, D., 113
Renze, J., 201
Rheinwald, G., 61, 73
Royo, P., 7, 15

Sánchez-Nieves, J., 15
Sbarbati Nudelman, N., 31
Schiemenz, B., 61
Schulte, P., 235
Shephard, D.S., 113
Shin Kwan, K., 95
Shore, S.G., 23
Simándi, L.I., 81
Simard, M., 53
Smidt, S.P., 113
Solans, X., 179
Stahl, L., 209
Sugimori, A., 161
Sugiyama, T., 161
Szepes, L., 147

Takayama, C., 161
Thewalt, U., 251
Tiripicchio, A., 15
Trakarnpruk, W., 209

Weinmann, M., 61
Wei, P., 87
Weissensteiner, W., 37
Whittall, I.R., 137
Wurst, K., 219

Yellowlees, L.J., 113
Young Jr., V.G., 1

Zanotti, V., 153
Zhang, L.-X., 101
Zhou, X.-G., 101
Zsolnai, L., 73

PII S0022-328X(98)00748-7

ELSEVIER

Journal of Organometallic Chemistry 563 (1998) 257–260

Journal of Organometallic Chemistry

Subject index of Volume 563

Acetylide
Organometallic complexes for nonlinear optics. 15. Molecular quadratic hyperpolarizabilities of *trans*-bis{bis(diphenylphosphino)methane}ruthenium σ-aryl- and σ-pyridylacetylides: X-ray crystal structure of *trans*-[Ru(2-C≡CC_5H_3N-5-NO_2)Cl(dppm)$_2$], 137

Alkyl
β-Elimination and insertion of CNR in transient pentamethylcyclopentadienyl-imido-tantalum dialkyl complexes. X-ray structure of [TaCp*{N(2,6-$Me_2C_6H_3$)}(CH_2=CH_2)(PMe_3)], 15

Alkylidene
Structure and electrochemical behavior of alkylidene-bridged metalladithiolene complexes (metals: cobalt and rhodium): bond cleavage of alkylidene moieties by electrochemical redox reactions, 161

Alkyne
Synthesis, reaction chemistry and electrochemical behaviour of (η^5-$C_5H_4SiMe_3$)$_2$Hf(C≡CFc)$_2$, 73

Alkyne complexes
Metallorganische Verbindungen des Kupfers und Silbers XV. Synthese und Struktur von Alkin-Silber(I)-Komplexen des Typs [AgX(η^2-Cycloalkin)] (X = NO_3, NO_2, CN, BF_4, OSO_2CF_3, CH_3COO, CF_3COO, Hexafluoracetylacetonat; Cycloalkin = 3,3,6,6 Tetramethyl-1-thia-4-cycloheptin und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1-dioxid), 235

Alkynyl
Organometallic complexes for nonlinear optics. 15. Molecular quadratic hyperpolarizabilities of *trans*-bis{bis(diphenylphosphino)methane}ruthenium σ-aryl- and σ-pyridylacetylides: X-ray crystal structure of *trans*-[Ru(2-C≡CC_5H_3N-5-NO_2)Cl(dppm)$_2$], 137

Allyl complex
Gas-phase photoelectron spectroscopic study of (σ-allyl)$Mn(CO)_5$ and (σ-allyl)$Re(CO)_5$, 147

1,1′-Bis(diphenylphosphino)cobaltocene
Novel behaviour and reactivity in 1,1′-bis(diphenylphosphino)-ferrocene and 1,1′-bis(diphenylphosphino)cobaltocene cluster derivatives, 113

1,1′-Bis(diphenylphosphino)ferrocene
Novel behaviour and reactivity in 1,1′-bis(diphenylphosphino)-ferrocene and 1,1′-bis(diphenylphosphino)cobaltocene cluster derivatives, 113

Bridged ligands
Regioselective formation of [2-(η^5-cyclopentadienyl)-2-fluorenylpropane]-titanium complexes: precursors, synthesis, structure and reactivity, 7

Carbon monoxide
The effect of CO on the reaction of (tributyltin)lithium with alkyl and aryl bromides, 31

Carbonylation
Carbonylation (hydroformylation and hydroalkoxycarbonylation) of styrene in the presence of transition metal–ferrocene-based aminophosphine systems, 37

Carbonyl complexes
Reaction of $Fe(CO)_2(\eta^2$-$CS_2)${$P(OR)_3$}$_2$ with phosphines: desulphurization versus substitution. Crystal structures of $Fe(CO)_2(CS)${$P(OPh)_3$}$_2$ and $Fe(CO)_3${$P(OPh)_3$}$_2$, 201

Carbyne complexes
Further investigations on C–C bond formation at the diruthenium aminocarbyne complexes [Ru_2{μ-CN(Me)R}(μ-CO)$(CO)_2$-$(Cp)_2$]SO_3CF_3 (R = Me, CH_2Ph) and molecular structure of [Ru_2(μ-$CNMe_2$)(μ-CO)(COPh)(CO)$(Cp)_2$], 153

Synthesis, crystal structures and spectroscopic properties of cationic carbyne complexes of molybdenum and tungsten supported by tripodal nitrogen, phosphorus and sulphur donor ligands, 191

C–C bond formation
Further investigations on C–C bond formation at the diruthenium aminocarbyne complexes [Ru_2{μ-CN(Me)R}(μ-CO)$(CO)_2$-$(Cp)_2$]SO_3CF_3 (R = Me, CH_2Ph) and molecular structure of [Ru_2(μ-$CNMe_2$)(μ-CO)(COPh)(CO)$(Cp)_2$], 153

Chiral complexes
Optically active transition metal complexes. Part 115. Synthesis, crystal structure and properties of chiral (η^5-C_5H_5)Ru complexes with pyrrolecarbaldiminato and salicylaldiminato ligands, 173

Chlorosilanes
Penta-coordinated chlorosilanes: reaction chemistry, structure and bonding, 61

Cobalt
Reactions of 1,1-dichloro-, 1-chloro-1-phenyl- and 1-chloro-1-methylsilacyclopent-3-ene with Na[$Cp(CO)_2Fe$]. X-ray diffraction study of the 1-(dicarbonylcyclopentadienylferrio)-1-[4-(dicarbonylcyclopentadienylferrio)but-1-oxy]-silac yclopent-3-ene resulting from insertion of an opened THF molecule into a Si–Fe bond, 53

Redox disproportionation and radical coupling products of formyl(pentamethyl)cobaltocene, 219

Cobaltocene
Redox disproportionation and radical coupling products of formyl(pentamethyl)cobaltocene, 219

Copper(I)
Metallorganische Verbindungen des Kupfers und Silbers XV. Synthese und Struktur von Alkin-Silber(I)-Komplexen des Typs [AgX(η^2-Cycloalkin)] (X = NO_3, NO_2, CN, BF_4, OSO_2CF_3, CH_3COO, CF_3COO, Hexafluoracetylacetonat; Cycloalkin = 3,3,6,6 Tetramethyl-1-thia-4-cycloheptin und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1-dioxid), 235

Crystal structure
Effects of chlorine substituents upon the formation, reactivity and electrochemical properties of platinum(II) and platinum(IV) metallacycles, 179

Formation of a strained [3]ferrocenophane via base-catalyzed intramolecular cyclization, 95

Further investigations on C–C bond formation at the diruthenium aminocarbyne complexes [Ru_2{μ-CN(Me)R}(μ-CO)$(CO)_2(Cp)_2$]SO_3CF_3 (R = Me, CH_2Ph) and molecular structure of [Ru_2(μ-$CNMe_2$)(μ-CO)(COPh)(CO)$(Cp)_2$], 153

PII S0022-328X(98)00749-9

Optically active transition metal complexes. Part 115. Synthesis, crystal structure and properties of chiral (η^5-C_5H_5)Ru complexes with pyrrolecarbaldiminato and salicylaldiminato ligands, 173

Oxidation of Ru(dppe)$(CO)_3$ with *o*- and *p*-quinones. Crystal structure of Ru[C(O)$OC_6H_2(C_4H_9)_2$O](dppe)$(CO)_2$, 1

Crystal structures

Synthesis, crystal structures and spectroscopic properties of cationic carbyne complexes of molybdenum and tungsten supported by tripodal nitrogen, phosphorus and sulphur donor ligands, 191

Cyclic voltammetry

Structure and electrochemical behavior of alkylidene-bridged metalladithiolene complexes (metals: cobalt and rhodium): bond cleavage of alkylidene moieties by electrochemical redox reactions, 161

Cycloalkynes

Metallorganische Verbindungen des Kupfers und Silbers XV. Synthese und Struktur von Alkin-Silber(I)-Komplexen des Typs [AgX(η^2-Cycloalkin)] (X = NO_3, NO_2, CN, BF_4, OSO_2CF_3, CH_3COO, CF_3COO, Hexafluoracetylacetonat; Cycloalkin = 3,3,6,6 Tetramethyl-1-thia-4-cycloheptin und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1-dioxid), 235

Cyclometallation

Effects of chlorine substituents upon the formation, reactivity and electrochemical properties of platinum(II) and platinum(IV) metallacycles, 179

Cyclopentadienyl

Regioselective formation of [2-(η^5-cyclopentadienyl)-2-fluorenyl-propane]-titanium complexes: precursors, synthesis, structure and reactivity, 7

Desulphurization

Reaction of $Fe(CO)_2(\eta^2$-$CS_2)\{P(OR)_3\}_2$ with phosphines: desulphurization versus substitution. Crystal structures of $Fe(CO)_2(CS)\{P(OPh)_3\}_2$ and $Fe(CO)_3\{P(OPh)_3\}_2$, 201

Dysprosium

A novel bonding mode of tetrazolate ligand to a metal: synthesis and structural characterization of 5-phenyltetrazolate organolanthanide complexes: $[\{(C_5H_4Me)(C_5H_5)LnTz\}_2]$ $[\{(C_5H_4Me)_2LnTz\}_2]$ (Ln = Dy, Gd) and $[(C_5H_4Me)_2$-LnTz$)]_2$ (Ln = Yb, Er), 101

Electrochemistry

Effects of chlorine substituents upon the formation, reactivity and electrochemical properties of platinum(II) and platinum(IV) metallacycles, 179

Structure and electrochemical behavior of alkylidene-bridged metalladithiolene complexes (metals: cobalt and rhodium): bond cleavage of alkylidene moieties by electrochemical redox reactions, 161

Electronic absorption spectra

Vapor-phase and solution-phase UV spectroscopic studies of η^5-pentadienyl derivatives of iron and ruthenium, 209

Electron transfer

The effect of CO on the reaction of (tributyltin)lithium with alkyl and aryl bromides, 31

Erbium

A novel bonding mode of tetrazolate ligand to a metal: synthesis and structural characterization of 5-phenyltetrazolate organolanthanide complexes: $[\{(C_5H_4Me)(C_5H_5)LnTz\}_2]$ $[\{(C_5H_4Me)_2LnTz\}_2]$ (Ln = Dy, Gd) and $[(C_5H_4Me)_2$-LnTz$)]_2$ (Ln = Yb, Er), 101

Ferrocene

Carbonylation (hydroformylation and hydroalkoxycarbonylation) of styrene in the presence of transition metal–ferrocene-based aminophosphine systems, 37

Synthesis and characterization of novel derivatives of *N*-(ferrocenesulfonyl)carbamic acid. X-ray structure determination of ferrocenesulfonamide and *N*-(ferrocenesulfonyl)-*N'*-butylurea, 81

Synthesis, reaction chemistry and electrochemical behaviour of $(\eta^5$-$C_5H_4SiMe_3)_2Hf(C{\equiv}CFc)_2$, 73

[3]ferrocenophane

Formation of a strained [3]ferrocenophane via base-catalyzed intramolecular cyclization, 95

Fluorenyl

Regioselective formation of [2-(η^5-cyclopentadienyl)-2-fluorenyl-propane]-titanium complexes: precursors, synthesis, structure and reactivity, 7

Formyl(pentamethyl)cobaltocene

Redox disproportionation and radical coupling products of formyl(pentamethyl)cobaltocene, 219

Gadolinium

A novel bonding mode of tetrazolate ligand to a metal: synthesis and structural characterization of 5-phenyltetrazolate organolanthanide complexes: $[\{(C_5H_4Me)(C_5H_5)LnTz\}_2]$ $[\{(C_5H_4Me)_2LnTz\}_2]$ (Ln = Dy, Gd) and $[(C_5H_4Me)_2$-LnTz$)]_2$ (Ln = Yb, Er), 101

Group 13

Syntheses and reactions of Saltren–Group 13 complexes, 87

Hafnocene

Synthesis, reaction chemistry and electrochemical behaviour of $(\eta^5$-$C_5H_4SiMe_3)_2Hf(C{\equiv}CFc)_2$, 73

$[Hg\{M(CO)_4\}_2]^{2-}$

Systematic syntheses of $[Hg\{M(CO)_4\}_2]^{2-}$, $[Hg\{M(CO)_4\}]_x$ (M = Fe, Ru, Os), and structures of $[Hg\{M(CO)_4\}_2]^{2-}$ (M = Ru, Os), 23

$[Hg\{M(CO)_4\}]_x$

Systematic syntheses of $[Hg\{M(CO)_4\}_2]^{2-}$, $[Hg\{M(CO)_4\}]_x$ (M = Fe, Ru, Os), and structures of $[Hg\{M(CO)_4\}_2]^{2-}$ (M = Ru, Os), 23

Hydroformylation

Carbonylation (hydroformylation and hydroalkoxycarbonylation) of styrene in the presence of transition metal–ferrocene-based aminophosphine systems, 37

Hyperpolarizability

Organometallic complexes for nonlinear optics. 15. Molecular quadratic hyperpolarizabilities of *trans*-bis{bis(diphenylphosphino)methane}ruthenium σ-aryl- and σ-pyridylacetylides: X-ray crystal structure of *trans*-[Ru(2-C≡CC_5H_3N-5-NO_2)Cl(dppm)$_2$], 137

Imido

β-Elimination and insertion of CNR in transient pentamethylcyclopentadienyl-imido-tantalum dialkyl complexes. X-ray structure of [TaCp*{N(2,6-$Me_2C_6H_3$)}$(CH_2{=}CH_2)(PMe_3)$], 15

Iminoacyl

β-Elimination and insertion of CNR in transient pentamethylcyclopentadienyl-imido-tantalum dialkyl complexes. X-ray structure of [TaCp*{N(2,6-$Me_2C_6H_3$)}$(CH_2{=}CH_2)(PMe_3)$], 15

Intramolecular cyclization

Formation of a strained [3]ferrocenophane via base-catalyzed intramolecular cyclization, 95

Iron

Einkernige Carbonylmetall-Komplexe des Eisens und Rutheniums, $M(CO)_n[P(C_7H_7)_3]$ (M = Fe, Ru; n = 4,3,2), mit dem mehrzähnigen Liganden Tri(1-cyclohepta-2,4,6-trienyl)-phosphan, 227

Reactions of 1,1-dichloro-, 1-chloro-1-phenyl- and 1-chloro-1-methylsilacyclopent-3-ene with Na[Cp(CO)$_2$Fe]. X-ray diffraction study of the 1-(dicarbonylcyclopentadienylferrio)-1-[4-(dicarbonylcyclopentadienylferrio)but-1-oxy]-silac yclopent-3-ene resulting from insertion of an opened THF molecule into a Si–Fe bond, 53
Vapor-phase and solution-phase UV spectroscopic studies of η^5-pentadienyl derivatives of iron and ruthenium, 209

Lithium
The effect of CO on the reaction of (tributyltin)lithium with alkyl and aryl bromides, 31

Manganese
Gas-phase photoelectron spectroscopic study of (σ-allyl)Mn(CO)$_5$ and (σ-allyl)Re(CO)$_5$, 147
Metalladithiolene
Structure and electrochemical behavior of alkylidene-bridged metalladithiolene complexes (metals: cobalt and rhodium): bond cleavage of alkylidene moieties by electrochemical redox reactions, 161
Methylcyclopentadienyl
A novel bonding mode of tetrazolate ligand to a metal: synthesis and structural characterization of 5-phenyltetrazolate organolanthanide complexes: [{(C$_5$H$_4$Me)(C$_5$H$_5$)LnTz}$_2$] [{(C$_5$H$_4$Me)$_2$LnTz}$_2$] (Ln = Dy, Gd) and [(C$_5$H$_4$Me)$_2$-LnTz)]$_2$ (Ln = Yb, Er), 101
Molybdenum
Synthesis, crystal structures and spectroscopic properties of cationic carbyne complexes of molybdenum and tungsten supported by tripodal nitrogen, phosphorus and sulphur donor ligands, 191

N-donor ligands
Effects of chlorine substituents upon the formation, reactivity and electrochemical properties of platinum(II) and platinum(IV) metallacycles, 179
Nickelcarbonyl
Synthesis, reaction chemistry and electrochemical behaviour of (η^5-C$_5$H$_4$SiMe$_3$)$_2$Hf(C≡CFc)$_2$, 73
NMR
Einkernige Carbonylmetall-Komplexe des Eisens und Rutheniums, M(CO)$_n$[P(C$_7$H$_7$)$_3$] (M = Fe, Ru; n = 4,3,2), mit dem mehrzähnigen Liganden Tri(1-cyclohepta-2,4,6-trienyl)-phosphan, 227
Nonlinear optics
Organometallic complexes for nonlinear optics. 15. Molecular quadratic hyperpolarizabilities of *trans*-bis{bis(diphenylphosphino)methane}ruthenium σ-aryl- and σ-pyridylacetylides: X-ray crystal structure of *trans*-[Ru(2-C≡CC$_5$H$_3$N-5-NO$_2$)Cl(dppm)$_2$], 137
Nuclear magnetic resonance
Carbonylation (hydroformylation and hydroalkoxycarbonylation) of styrene in the presence of transition metal–ferrocene-based aminophosphine systems, 37

Olefin complexes
Einkernige Carbonylmetall-Komplexe des Eisens und Rutheniums, M(CO)$_n$[P(C$_7$H$_7$)$_3$] (M = Fe, Ru; n = 4,3,2), mit dem mehrzähnigen Liganden Tri(1-cyclohepta-2,4,6-trienyl)-phosphan, 227
Opened THF
Reactions of 1,1-dichloro-, 1-chloro-1-phenyl- and 1-chloro-1-methylsilacyclopent-3-ene with Na[Cp(CO)$_2$Fe]. X-ray diffraction study of the 1-(dicarbonylcyclopentadienylferrio)-1-[4-(dicarbonylcyclopentadienylferrio)but-1-oxy]-silac yclopent-3-ene resulting from insertion of an opened THF molecule into a Si–Fe bond, 53
Organolanthanide
A novel bonding mode of tetrazolate ligand to a metal: synthesis and structural characterization of 5-phenyltetrazolate organolanthanide complexes: [{(C$_5$H$_4$Me)(C$_5$H$_5$)LnTz}$_2$] [{(C$_5$H$_4$Me)$_2$LnTz}$_2$] (Ln = Dy, Gd) and [(C$_5$H$_4$Me)$_2$-LnTz)]$_2$ (Ln = Yb, Er), 101
OTTLE
Structure and electrochemical behavior of alkylidene-bridged metalladithiolene complexes (metals: cobalt and rhodium): bond cleavage of alkylidene moieties by electrochemical redox reactions, 161
Oxidation
Oxidation of Ru(dppe)(CO)$_3$ with *o*- and *p*-quinones. Crystal structure of Ru[C(O)OC$_6$H$_2$(C$_4$H$_9$)$_2$O](dppe)(CO)$_2$, 1

Palladium
Carbonylation (hydroformylation and hydroalkoxycarbonylation) of styrene in the presence of transition metal–ferrocene-based aminophosphine systems, 37
Penta-coordination
Penta-coordinated chlorosilanes: reaction chemistry, structure and bonding, 61
Pentadienyl derivatives
Vapor-phase and solution-phase UV spectroscopic studies of η^5-pentadienyl derivatives of iron and ruthenium, 209
Pentamethylcyclopentadienyl
β-Elimination and insertion of CNR in transient pentamethylcyclopentadienyl-imido-tantalum dialkyl complexes. X-ray structure of [TaCp*{N(2,6-Me$_2$C$_6$H$_3$)}(CH$_2$=CH$_2$)(PMe$_3$)], 15
Phosphane complexes
Einkernige Carbonylmetall-Komplexe des Eisens und Rutheniums, M(CO)$_n$[P(C$_7$H$_7$)$_3$] (M = Fe, Ru; n = 4,3,2), mit dem mehrzähnigen Liganden Tri(1-cyclohepta-2,4,6-trienyl)-phosphan, 227
Phosphine
Carbonylation (hydroformylation and hydroalkoxycarbonylation) of styrene in the presence of transition metal–ferrocene-based aminophosphine systems, 37
Photoelectron spectroscopy
Gas-phase photoelectron spectroscopic study of (σ-allyl)Mn(CO)$_5$ and (σ-allyl)Re(CO)$_5$, 147
Photoluminescence
Synthesis, crystal structures and spectroscopic properties of cationic carbyne complexes of molybdenum and tungsten supported by tripodal nitrogen, phosphorus and sulphur donor ligands, 191
Platinum
Carbonylation (hydroformylation and hydroalkoxycarbonylation) of styrene in the presence of transition metal–ferrocene-based aminophosphine systems, 37
Platinum complexes
Effects of chlorine substituents upon the formation, reactivity and electrochemical properties of platinum(II) and platinum(IV) metallacycles, 179
Quinones
Oxidation of Ru(dppe)(CO)$_3$ with *o*- and *p*-quinones. Crystal structure of Ru[C(O)OC$_6$H$_2$(C$_4$H$_9$)$_2$O](dppe)(CO)$_2$, 1
Radical coupling
Redox disproportionation and radical coupling products of formyl(pentamethyl)cobaltocene, 219
Reactivity
Syntheses and reactions of Saltren–Group 13 complexes, 87
Rhenium
Gas-phase photoelectron spectroscopic study of (σ-allyl)Mn(CO)$_5$ and (σ-allyl)Re(CO)$_5$, 147
Ruthenium
Einkernige Carbonylmetall-Komplexe des Eisens und Rutheniums, M(CO)$_n$[P(C$_7$H$_7$)$_3$] (M = Fe, Ru; n = 4,3,2), mit dem mehrzähnigen Liganden Tri(1-cyclohepta-2,4,6-trienyl)-phosphan, 227

Further investigations on C–C bond formation at the diruthenium aminocarbyne complexes $[Ru_2\{\mu\text{-}CN(Me)R\}(\mu\text{-}CO)(CO)_2(Cp)_2]SO_3CF_3$ (R = Me, CH_2Ph) and molecular structure of $[Ru_2(\mu\text{-}CNMe_2)(\mu\text{-}CO)(COPh)(CO)(Cp)_2]$, 153

Optically active transition metal complexes. Part 115. Synthesis, crystal structure and properties of chiral $(\eta^5\text{-}C_5H_5)Ru$ complexes with pyrrolecarbaldiminato and salicylaldiminato ligands, 173

Organometallic complexes for nonlinear optics. 15. Molecular quadratic hyperpolarizabilities of *trans*-bis{bis(diphenylphosphino)methane}ruthenium σ-aryl- and σ-pyridylacetylides: X-ray crystal structure of *trans*-[Ru(2-C≡CC_5H_3N-5-NO_2)Cl(dppm)$_2$], 137

Vapor-phase and solution-phase UV spectroscopic studies of η^5-pentadienyl derivatives of iron and ruthenium, 209

Ruthenium clusters

Novel behaviour and reactivity in 1,1'-bis(diphenylphosphino)-ferrocene and 1,1'-bis(diphenylphosphino)cobaltocene cluster derivatives, 113

Rydberg transitions

Vapor-phase and solution-phase UV spectroscopic studies of η^5-pentadienyl derivatives of iron and ruthenium, 209

Saltren

Syntheses and reactions of Saltren–Group 13 complexes, 87

Silacyclopentene

Reactions of 1,1-dichloro-, 1-chloro-1-phenyl- and 1-chloro-1-methylsilacyclopent-3-ene with $Na[Cp(CO)_2Fe]$. X-ray diffraction study of the 1-(dicarbonylcyclopentadienylferrio)-1-[4-(dicarbonylcyclopentadienylferrio)but-1-oxy]-silac yclopent-3-ene resulting from insertion of an opened THF molecule into a Si–Fe bond, 53

Silver(I)

Metallorganische Verbindungen des Kupfers und Silbers XV. Synthese und Struktur von Alkin-Silber(I)-Komplexen des Typs $[AgX(\eta^2\text{-Cycloalkin})]$ (X = NO_3, NO_2, CN, BF_4, OSO_2CF_3, CH_3COO, CF_3COO, Hexafluoracetylacetonat; Cycloalkin = 3,3,6,6 Tetramethyl-1-thia-4-cycloheptin und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1-dioxid), 235

Structure

A novel bonding mode of tetrazolate ligand to a metal: synthesis and structural characterization of 5-phenyltetrazolate organolanthanide complexes: $[\{(C_5H_4Me)(C_5H_5)LnTz\}_2]$ $[\{(C_5H_4Me)_2LnTz\}_2]$ (Ln = Dy, Gd) and $[(C_5H_4Me)_2LnTz)]_2$ (Ln = Yb, Er), 101

Substitution

The effect of CO on the reaction of (tributyltin)lithium with alkyl and aryl bromides, 31

Sulfonylcarbamates

Synthesis and characterization of novel derivatives of *N*-(ferrocenesulfonyl)carbamic acid. X-ray structure determination of ferrocenesulfonamide and *N*-(ferrocenesulfonyl)-*N'*-butylurea, 81

Sulfonylureas

Synthesis and characterization of novel derivatives of *N*-(ferrocenesulfonyl)carbamic acid. X-ray structure determination of ferrocenesulfonamide and *N*-(ferrocenesulfonyl)-*N'*-butylurea, 81

Synthesis, Reaction behavior

Penta-coordinated chlorosilanes: reaction chemistry, structure and bonding, 61

Systematic syntheses

Systematic syntheses of $[Hg\{M(CO)_4\}_2]^{2-}$, $[Hg\{M(CO)_4\}]_n$ (M = Fe, Ru, Os), and structures of $[Hg\{M(CO)_4\}_2]^{2-}$ (M = Ru, Os), 23

Tantalum

β-Elimination and insertion of CNR in transient pentamethylcyclopentadienyl-imido-tantalum dialkyl complexes. X-ray structure of $[TaCp^*\{N(2,6\text{-}Me_2C_6H_3)\}(CH_2{=}CH_2)(PMe_3)]$, 15

Tetrazolate

A novel bonding mode of tetrazolate ligand to a metal: synthesis and structural characterization of 5-phenyltetrazolate organolanthanide complexes: $[\{(C_5H_4Me)(C_5H_5)LnTz\}_2]$ $[\{(C_5H_4Me)_2LnTz\}_2]$ (Ln = Dy, Gd) and $[(C_5H_4Me)_2LnTz)]_2$ (Ln = Yb, Er), 101

Thiocarbonyl complex

Reaction of $Fe(CO)_2(\eta^2\text{-}CS_2)\{P(OR)_3\}_2$ with phosphines: desulphurization versus substitution. Crystal structures of $Fe(CO)_2(CS)\{P(OPh)_3\}_2$ and $Fe(CO)_3\{P(OPh)_3\}_2$, 201

Tin

The effect of CO on the reaction of (tributyltin)lithium with alkyl and aryl bromides, 31

Titanium complexes

Regioselective formation of [2-(η^5-cyclopentadienyl)-2-fluorenylpropane]-titanium complexes: precursors, synthesis, structure and reactivity, 7

Tripodal ligands

Synthesis, crystal structures and spectroscopic properties of cationic carbyne complexes of molybdenum and tungsten supported by tripodal nitrogen, phosphorus and sulphur donor ligands, 191

Tungsten.

Synthesis, crystal structures and spectroscopic properties of cationic carbyne complexes of molybdenum and tungsten supported by tripodal nitrogen, phosphorus and sulphur donor ligands, 191

X-ray crystallography

Einkernige Carbonylmetall-Komplexe des Eisens und Rutheniums, $M(CO)_n[P(C_7H_7)_3]$ (M = Fe, Ru; n = 4,3,2), mit dem mehrzähnigen Liganden Tri(1-cyclohepta-2,4,6-trienyl)-phosphan, 227

X-ray diffraction

Reactions of 1,1-dichloro-, 1-chloro-1-phenyl- and 1-chloro-1-methylsilacyclopent-3-ene with $Na[Cp(CO)_2Fe]$. X-ray diffraction study of the 1-(dicarbonylcyclopentadienylferrio)-1-[4-(dicarbonylcyclopentadienylferrio)but-1-oxy]-silac yclopent-3-ene resulting from insertion of an opened THF molecule into a Si–Fe bond, 53

X-ray structure

Metallorganische Verbindungen des Kupfers und Silbers XV. Synthese und Struktur von Alkin-Silber(I)-Komplexen des Typs $[AgX(\eta^2\text{-Cycloalkin})]$ (X = NO_3, NO_2, CN, BF_4, OSO_2CF_3, CH_3COO, CF_3COO, Hexafluoracetylacetonat; Cycloalkin = 3,3,6,6 Tetramethyl-1-thia-4-cycloheptin und 3,3,6,6-Tetramethyl-1-thia-4-cycloheptin-1,1-dioxid), 235

Redox disproportionation and radical coupling products of formyl(pentamethyl)cobaltocene, 219

Synthesis and characterization of novel derivatives of *N*-(ferrocenesulfonyl)carbamic acid. X-ray structure determination of ferrocenesulfonamide and *N*-(ferrocenesulfonyl)-*N'*-butylurea, 81

X-ray structure analysis

Structure and electrochemical behavior of alkylidene-bridged metalladithiolene complexes (metals: cobalt and rhodium): bond cleavage of alkylidene moieties by electrochemical redox reactions, 161

Ytterbium

A novel bonding mode of tetrazolate ligand to a metal: synthesis and structural characterization of 5-phenyltetrazolate organolanthanide complexes: $[\{(C_5H_4Me)(C_5H_5)LnTz\}_2]$ $[\{(C_5H_4Me)_2LnTz\}_2]$ (Ln = Dy, Gd) and $[(C_5H_4Me)_2LnTz)]_2$ (Ln = Yb, Er), 101